




PRODUCT CATALOGUE 2026

The threshold where hygiene begins. Stainless steel hygiene entrance systems for food, pharma and healthcare facilities.

30+

YEARS EXPERIENCE

Manufacturer discipline, auditable hygiene

We build stainless-steel hygiene entrance systems for food, pharma and healthcare facilities. Backed by our founder's 30+ years in engineering and a manufacturing track record since 2012, we turn entry to the clean zone into an auditable hygiene step.

To build auditable, durable hygiene entrance systems that raise production standards in food, pharma and healthcare facilities and put human health first — keeping stainless-steel discipline in every detail to give our partners safe clean zones.

30+

years in the sector

1000+

corporate clients

100%

made in Türkiye

Global

export reach



TABLE OF CONTENTS

01 Hygiene Barriers p. 4

Hygiene Barrier — Boot-Brush, Footbath & Washbasin, Fully Equipped	5
Hygiene Barrier — Boot-Brush, Washbasin, BGM Box	6
Hygiene Barrier — Boot-Brush, Washbasin, Compact	7
Hygiene Barrier — Variable Brush Length, Washbasin	8
Hygiene Barrier — Variable Brush Length	9
Hygiene Barrier — Footbath, Washbasin, Fully Equipped	10
Hygiene Barrier — Footbath, Washbasin, Compact	11
Hygiene Barrier — Footbath, Washbasin	12
Hygiene Barrier — Footbath, Washbasin, BGM Box	13
Hygiene Barrier — Footbath Entry	14
Hygiene Turnstile — Dual-Hand Disinfection	15
One-Way Turnstile	16

03 Touchless Sinks p. 22


Touchless Sink — Pedestal, 1 Station	23
Touchless Sink — Pedestal, 2 Station	24
Touchless Sink — Pedestal, 3 Station	25
Touchless Sink — Wall, 1 Station	26
Touchless Sink — Wall, 2 Station	27
Touchless Sink — Wall, 3 Station	28

02 Washing Machines p. 17

Fully Automatic Boot Washer	18
Fully Automatic Boot Washer	19
Compact Boot Washer	20
Compact Boot Washer	21

04 Hygiene Equipment p. 29

Dual-Hand Disinfection Unit	30
BGM Set — Hairnet/Overshoe/Mask + Waste	31
BM Set — Hairnet/Mask + Overshoe	32
BGM Box — Hairnet/Overshoe/Mask	33
BM Box — Hairnet/Mask	34
B Box — Hairnet, Mask, Overshoe etc.	35
Stainless Hygiene Mat	36



Hygiene Barriers


Hygiene Barrier — Boot-Brush, Footbath & Washbasin, Fully Equipped	HGS-EB
Hygiene Barrier — Boot-Brush, Washbasin, BGM Box	HGB-L
Hygiene Barrier — Boot-Brush, Washbasin, Compact	HGB-M
Hygiene Barrier — Variable Brush Length, Washbasin	DSE-EB
Hygiene Barrier — Variable Brush Length	DSE-B
Hygiene Barrier — Footbath, Washbasin, Fully Equipped	HGE-L
Hygiene Barrier — Footbath, Washbasin, Compact	HGE-M1
Hygiene Barrier — Footbath, Washbasin	HGE-M
Hygiene Barrier — Footbath, Washbasin, BGM Box	HGE-S
Hygiene Barrier — Footbath Entry	HGE
Hygiene Turnstile — Dual-Hand Disinfection	DSE
One-Way Turnstile	TRN

HGS-EB

01

Hygiene Barrier — Boot-Brush, Footbath & Washbasin, Fully Equipped

AISI 304 STAINLESS



A fully equipped hygiene barrier that brings sole brushing, a disinfectant footbath, sensor-operated handwashing and disinfection, and a BGM box together in one line.

HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Sole brushing + disinfectant footbath** — Combines motorized sole brushing and a grated disinfectant footbath in one passage line.
- **PPE dispenser boxes** — Keeps hairnets, overshoes, masks and similar PPE organized for dispensing.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	300 × 100 × 175 cm
POWER SUPPLY	380–400V 50/60Hz
WATER	3 bar, max 50°C, 14 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	1800 W fast hand dryer, HEPA filter, 5–7 s drying, 95 m/s airflow
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
PPE DISPENSER BOXES	2-compartment upper, single wide lower
SOLE BRUSHING	2 industrial motorized roller brushes with entry sensor, detergent or disinfectant pump
SOLE DISINFECTION	Grated disinfectant footbath
SOLE DRYING	Moisture-absorbing mat
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Motorized sole-brushing system, grated disinfectant footbath and moisture-absorbing mat
- ✓ Sensor sink and soap dispenser (5 L canister)
- ✓ Fast hand dryer + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ 2+1 compartment dispenser boxes (cap/mask/glove, etc.)
- ✓ Three-arm electric turnstile
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet



HGB - L

01

Hygiene Barrier — Boot-Brush, Washbasin, BGM Box

AISI 304 STAINLESS



A complete hygiene barrier with sole brushing ahead of the washbasin, sensor-operated handwashing and disinfection, and a BGM box.

HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Sole brushing** — Sensor-controlled motorized roller brushes mechanically clean boot and footwear soles.
- **PPE dispenser boxes** — Keeps hairnets, overshoes, masks and similar PPE organized for dispensing.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	230 × 100 × 175 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max 50°C, 14 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Z-fold paper towel dispenser (400) and 20 L waste bin
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
PPE DISPENSER BOXES	3-compartment upper, single wide lower
SOLE BRUSHING	2 industrial motorized roller brushes triggered by the sink sensor, detergent or disinfectant pump
SOLE DRYING	Moisture-absorbing mat
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Motorized sole-brushing system and moisture-absorbing mat
- ✓ Sensor sink and soap dispenser (5 L canister)
- ✓ Z-fold paper towel dispenser (400) + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ 3+1 compartment dispenser boxes (cap/mask/glove/overshoe, etc.)
- ✓ Three-arm electric turnstile
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet



HGB - M

01

Hygiene Barrier — Boot-Brush, Washbasin, Compact

AISI 304 STAINLESS



A compact hygiene barrier with sole brushing ahead of the washbasin and sensor-operated handwashing and disinfection.

HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Sole brushing** — Sensor-controlled motorized roller brushes mechanically clean boot and footwear soles.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	160 × 100 × 175 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max 50°C, 14 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Z-fold paper towel dispenser (400) and 20 L waste bin
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE BRUSHING	2 industrial motorized roller brushes triggered by the sink sensor, detergent or disinfectant pump
SOLE DRYING	Moisture-absorbing mat
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Motorized sole-brushing system and moisture-absorbing mat
- ✓ Sensor sink and soap dispenser with 5 L canister
- ✓ Z-fold paper towel dispenser (400) + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ Three-arm electric turnstile
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet



DSE-EB





01

Hygiene Barrier — Variable Brush Length, Washbasin

AISI 304 STAINLESS



A hygiene barrier with motorized sole brushing in motion, sensor-operated handwashing and disinfection, and 400/600/800 mm brush options.



DSE-EB800
DSE-EB600
DSE-EB400

HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Sole brushing** — Sensor-controlled motorized roller brushes mechanically clean boot and footwear soles.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	190/170/150 × 100 × 175 cm
POWER SUPPLY	380–400V 50/60Hz
WATER	3 bar, max 50°C, 14 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Z-fold paper towel dispenser (400) and 20 L waste bin
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE BRUSHING	2 industrial motorized roller brushes, time-controlled at exit, detergent or disinfectant pump
SOLE DRYING	Moisture-absorbing mat
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Motorized sole-brushing system
- ✓ Sensor sink and soap dispenser with 5 L canister
- ✓ Z-fold paper towel dispenser (400) + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ Three-arm electric turnstile
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet




DSE - B


01

Hygiene Barrier — Variable Brush Length

AISI 304 STAINLESS



A hygiene barrier with motorized sole brushing in motion and 400/600/800 mm brush options.



DSE-B800
DSE-B600
DSE-B400

HIGHLIGHTS

- **Sole brushing** — Sensor-controlled motorized roller brushes mechanically clean boot and footwear soles.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	190/170/150 × 100 × 175 cm
POWER SUPPLY	380–400V 50/60Hz
WATER	3 bar, max 50°C, 14 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Z-fold paper towel dispenser (400) and 20 L waste bin
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE BRUSHING	2 industrial motorized roller brushes with entry sensor, detergent or disinfectant pump
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Motorized sole-brushing system
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ Three-arm electric turnstile
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet



HGE - L


01

Hygiene Barrier — Footbath, Washbasin, Fully Equipped

AISI 304 STAINLESS



A hygiene barrier with a disinfectant footbath, sensor-operated handwashing and disinfection, a BGM box, and passage in both directions.



HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Disinfectant footbath** — A grated disinfectant footbath makes sole hygiene part of the controlled passage.
- **PPE dispenser boxes** — Keeps hairnets, overshoes, masks and similar PPE organized for dispensing.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	180 × 100 × 150 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max 50°C, 7 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	1800 W fast hand dryer, HEPA filter, 5–7 s drying, 95 m/s airflow
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
PPE DISPENSER BOXES	2-compartment upper, single wide lower
SOLE DISINFECTION	Grated disinfectant footbath
SOLE DRYING	Moisture-absorbing mats at entry and exit
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Moisture-absorbing mat + grated disinfectant footbath + moisture-absorbing mat
- ✓ Sensor sink and soap dispenser (5 L canister)
- ✓ Z-fold paper towel dispenser (400) + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ 3+1 compartment dispenser boxes (cap/mask/glove/overshoe, etc.)
- ✓ Three-arm electric turnstile
- ✓ Height-adjustable feet



HGE - M1


01

Hygiene Barrier — Footbath, Washbasin, Compact

AISI 304 STAINLESS



A compact hygiene barrier with a disinfectant footbath and sensor-operated handwashing and disinfection.



HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Disinfectant footbath** — A grated disinfectant footbath makes sole hygiene part of the controlled passage.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	140 × 100 × 150 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max 50°C, 7 l/min
SOAP DISPENSER	Sensor-controlled, with soap pump and 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Z-fold paper towel dispenser (400) and 20 L waste bin
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE DISINFECTION	Grated disinfectant footbath
SOLE DRYING	Moisture-absorbing mat
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Grated disinfectant footbath + moisture-absorbing mat
- ✓ Sensor sink and soap dispenser (5 L canister)
- ✓ Z-fold paper towel dispenser (400) + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ Three-arm electric turnstile
- ✓ Height-adjustable feet



HGE - M


01

Hygiene Barrier — Footbath, Washbasin

AISI 304 STAINLESS



For narrow corridors: a hygiene barrier with a disinfectant footbath, sensor-operated handwashing and disinfection, and passage in both directions.



HIGHLIGHTS

- **Sensor washbasin + soap** — Touchless handwashing with a sensor-controlled stainless washbasin and soap dispenser.
- **Disinfectant footbath** — A grated disinfectant footbath makes sole hygiene part of the controlled passage.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	120 × 100 × 150 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max 50°C, 7 l/min
SOAP DISPENSER	Manual soap dispenser with 1 L tank
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Z-fold paper towel dispenser (400) and 20 L waste bin
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE DISINFECTION	Matted disinfectant footbath
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Matted disinfectant footbath
 - ✓ Sensor sink and manual soap dispenser (1 L tank)
 - ✓ Z-fold paper towel dispenser (400) + waste bin
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
 - ✓ Three-arm electric turnstile
 - ✓ Height-adjustable feet



HGE - S


01

Hygiene Barrier — Footbath, Washbasin, BGM Box

AISI 304 STAINLESS



A dual-hand disinfection hygiene barrier with a disinfectant footbath and BGM box.



HIGHLIGHTS

- **Disinfectant footbath** — A grated disinfectant footbath makes sole hygiene part of the controlled passage.
- **PPE dispenser boxes** — Keeps hairnets, overshoes, masks and similar PPE organized for dispensing.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	95 × 95 × 150 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	Yes
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
PPE DISPENSER BOXES	2-compartment upper, single wide lower
SOLE DISINFECTION	Matted disinfectant footbath
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Matted disinfectant footbath
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ 2+1 compartment dispenser boxes (cap/mask/glove, etc.)
- ✓ Three-arm electric turnstile
- ✓ Height-adjustable feet



HGE


01

Hygiene Barrier — Footbath Entry

AISI 304 STAINLESS



A dual-hand disinfection hygiene barrier with a disinfectant footbath.



HIGHLIGHTS

- **Disinfectant footbath** — A grated disinfectant footbath makes sole hygiene part of the controlled passage.
- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	70 × 92 × 150 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	Yes
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE DISINFECTION	Matted disinfectant footbath
TURNSTILE	Three-arm electric
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Matted disinfectant footbath
- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ Three-arm electric turnstile
- ✓ Height-adjustable feet



DSE


01

Hygiene Turnstile — Dual-Hand Disinfection

AISI 304 STAINLESS



A dual-hand disinfection hygiene turnstile with an optional hygiene mat.



HIGHLIGHTS

- **Dual disinfection + turnstile** — Dual-sensor hand disinfection and a three-arm electric turnstile provide controlled entry.
- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	70 × 85 × 145 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	Yes
HAND DISINFECTION	Dual-hand sensor-controlled, disinfectant spray pump and 5 L disinfectant canister
SOLE DISINFECTION	Optional: HP8050 hygiene mat
TURNSTILE	Three-arm electric
MOUNTING	Wall- and floor-mountable

SCOPE OF DELIVERY

- ✓ Dual-tank / dual-sensor hand disinfectant dispenser with 5 L canister
- ✓ Three-arm electric turnstile
- ✓ Wall- and floor-mountable



TRN

01

One-Way Turnstile

AISI 304 STAINLESS



A three-arm mechanical or electromechanical turnstile for one-way passage; it can be floor- and/or wall-mounted.

HIGHLIGHTS


- **AISI 304 body** — Fully stainless steel; washable and resistant to corrosion and chemicals.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	70 × 85 × 105 cm
POWER SUPPLY	Optional: 220–240V 50/60Hz
SOLE DISINFECTION	Optional: HP8050 hygiene mat
TURNSTILE	Three-arm mechanical (optional: three-arm electric)
MOUNTING	Wall- and/or floor-mountable


SCOPE OF DELIVERY

- ✓ Three-arm mechanical turnstile
- ✓ Wall- and/or floor-mountable



Washing Machines

Fully Automatic Boot Washer	YSC-5
Fully Automatic Boot Washer	YSB-2
Compact Boot Washer	YOC-3
Compact Boot Washer	YOB-1




YSC-5


02

Fully Automatic Boot Washer

AISI 304 STAINLESS



Washes boot soles and sides with 2 horizontal + 3 vertical sensor-controlled motorized brushes and water-detergent spray.



HIGHLIGHTS

- **5 motorized brushes** — 2 horizontal + 3 vertical motorized cylindrical brushes wash soles and sidewalls.
- **Sensor water-detergent** — Sensor-controlled water-detergent spray for effective cleaning.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	180 × 100 × 120 cm
ELECTRICAL	380–400V 50/60Hz, with stainless electrical panel and emergency-stop button
WATER	3 bar, max. 50°C, 14 L/min
BRUSHING	Sensor-controlled industrial motorized roller brushes for continuous passage in both directions (2 horizontal for boot soles + 3 vertical for boot sides); pump sprays detergent or disinfectant mixed with water, with a 20–30 L canister compartment
HANDRAIL	Stainless handrails on both sides
STEP	Concealed non-slip steps at entry and exit
MOUNTING	Floor-adjustable feet

SCOPE OF DELIVERY

- ✓ 2 horizontal + 3 vertical motorized roller cleaning brushes
- ✓ Detergent / disinfectant pump
- ✓ Sensor-controlled continuous passage in both directions
- ✓ Fully automatic operation
- ✓ Stainless electrical panel
- ✓ Handrails
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet



YSB - 2

02

Fully Automatic Boot Washer

AISI 304 STAINLESS



Continuous-pass boot/sole washing with two sensor-controlled horizontal cylindrical brushes.

HIGHLIGHTS


- **Dual horizontal brushes** — 2 horizontal industrial motorized cylindrical brushes clean soles with water-detergent.
- **Continuous passage** — Sensor-controlled continuous passage in both directions with curly-mat moisture removal.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	180 × 100 × 120 cm
ELECTRICAL	380–400V 50/60Hz, with stainless electrical panel and emergency-stop button
WATER	3 bar, max. 50°C, 7 L/min
BRUSHING	2 sensor-controlled industrial motorized horizontal roller brushes for continuous passage in both directions; pump sprays detergent or disinfectant mixed with water, with a 20–30 L canister compartment
HANDRAIL	Stainless handrails on both sides
STEP	Concealed non-slip steps at entry and exit
MOUNTING	Floor-adjustable feet

SCOPE OF DELIVERY

- ✓ 2 horizontal motorized roller cleaning brushes
- ✓ Detergent / disinfectant pump
- ✓ Sensor-controlled continuous passage in both directions
- ✓ Fully automatic operation
- ✓ Stainless electrical panel
- ✓ Handrails
- ✓ Non-slip entry and exit steps
- ✓ Height-adjustable feet



YOC-3

02

Compact Boot Washer

AISI 304 STAINLESS



A compact machine that cleans boot soles and sides with 2 vertical + 1 horizontal brush and a detergent pump.

HIGHLIGHTS

- **3 motorized brushes** — 2 vertical + 1 horizontal motorized cylindrical brushes wash soles and sidewalls.
- **Detergent pump** — Detergent canister tank with a detergent pump; plug-in operation.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	80 × 70 × 120 cm
ELECTRICAL	380–400V 50/60Hz
WATER	3 bar, max. 50°C, 8 L/min
BRUSHING	Button-controlled motorized roller brushes for one boot (2 vertical for the sides + 1 horizontal for the sole); pump sprays detergent or disinfectant mixed with water
HANDRAIL	Handrail with control button
MOUNTING	Floor-adjustable feet

SCOPE OF DELIVERY

- | | |
|---|---|
| ✓ 2 vertical + 1 horizontal motorized roller cleaning brushes | ✓ Button-controlled single-boot washing |
| ✓ Detergent / disinfectant pump | ✓ Semi-automatic operation |
| | ✓ Handrail |
| | ✓ Height-adjustable feet |



YOB-1

02

Compact Boot Washer

AISI 304 STAINLESS



A compact machine that washes boot soles by spraying water-detergent onto one sensor-controlled horizontal cylindrical brush.

HIGHLIGHTS

- **Sensor sole brush** — Sprays water-detergent onto one horizontal industrial motorized cylindrical brush to wash boot/sole bottoms.
- **Detergent pump** — A detergent-canister tank and detergent pump carry the water-detergent mix to the brush.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.


TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	70 × 70 × 120 cm
ELECTRICAL	220–240V 50/60Hz, EU plug
WATER	3 bar, max. 50°C, 4 L/min
BRUSHING	Sensor-controlled motorized roller brush for one sole; pump sprays detergent or disinfectant mixed with water, with a 20 L canister compartment
MOUNTING	Floor-adjustable feet

SCOPE OF DELIVERY

- | | |
|--|----------------------------------|
| ✓ Horizontal motorized roller cleaning brush | ✓ Sensor-controlled sole washing |
| ✓ Detergent / disinfectant pump | ✓ Automatic operation |
| | ✓ Height-adjustable feet |





Touchless Sinks

Touchless Sink — Pedestal, 1 Station	LVS-L1
Touchless Sink — Pedestal, 2 Station	LVS-L2
Touchless Sink — Pedestal, 3 Station	LVS-L3
Touchless Sink — Wall, 1 Station	LVS-S1
Touchless Sink — Wall, 2 Station	LVS-S2
Touchless Sink — Wall, 3 Station	LVS-S3

LVS-L1


03

Touchless Sink — Pedestal, 1 Station

AISI 304 STAINLESS



Pedestal touchless sink with cabinet; water starts at 10 cm, with a sensor soap dispenser.



HIGHLIGHTS

- **Touchless water** — Runs water when a hand comes within 10 cm; dual water inlet with a hot/cold mixing valve.
- **Sensor soap** — Sensor liquid soap dispenser for fully touchless handwashing.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	70 × 50 × 135 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max. 50°C, 7 L/min
NUMBER OF STATIONS	1
LIQUID SOAP DISPENSER	Sensor-controlled, with liquid soap pump and cabinet for a 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Optional: Z-fold paper towel holder (200) and slide-in waste bin
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Wide, deep sink suitable for washing hands and forearms
- ✓ Cabinet for a 5 L liquid soap canister
- ✓ 1-station touchless hand washing and liquid soap
- ✓ Height-adjustable feet



LVS-L2

03

Touchless Sink — Pedestal, 2 Station

AISI 304 STAINLESS



Two-station pedestal touchless sink; sensor water and soap dispensers.

HIGHLIGHTS

- **Touchless water** — Runs water when a hand comes within 10 cm; dual water inlet with a hot/cold mixing valve.
- **Sensor soap** — Sensor liquid soap dispenser for fully touchless handwashing.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA


MATERIAL	AISI 304
SIZE (L×W×H)	130 × 50 × 135 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max. 50°C, 14 L/min
NUMBER OF STATIONS	2
LIQUID SOAP DISPENSER	Sensor-controlled, with liquid soap pump and cabinet for a 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Optional: Z-fold paper towel holder (200) and slide-in waste bin
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Wide, deep sink suitable for washing hands and forearms

✓ Cabinet for a 5 L liquid soap canister
- ✓ 2-station touchless hand washing and liquid soap

✓ Height-adjustable feet



LVS-L3


03

Touchless Sink — Pedestal, 3 Station

AISI 304 STAINLESS



Three-station pedestal touchless sink; sensor water and soap for busy staff entries.



HIGHLIGHTS

- **Touchless water** — Runs water when a hand comes within 10 cm; dual water inlet with a hot/cold mixing valve.
- **Sensor soap** — Sensor liquid soap dispenser for fully touchless handwashing.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	180 × 50 × 135 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max. 50°C, 21 L/min
NUMBER OF STATIONS	3
LIQUID SOAP DISPENSER	Sensor-controlled, with liquid soap pump and cabinet for a 5 L soap canister
HAND WASHING	Sensor-controlled touchless hand washing
HAND DRYING	Optional: Z-fold paper towel holder (200) and slide-in waste bin
MOUNTING	Adjustable feet

SCOPE OF DELIVERY

- ✓ Wide, deep sink suitable for washing hands and forearms
- ✓ Cabinet for a 5 L liquid soap canister
- ✓ 3-station touchless hand washing and liquid soap
- ✓ Height-adjustable feet

LVS-S1


03

Touchless Sink — Wall, 1 Station

AISI 304 STAINLESS



Wall-mounted single-station touchless sink; sensor water and a 5 L-tank soap dispenser.



HIGHLIGHTS

- **Touchless water** — Runs water when a hand comes within 10 cm; dual water inlet with a hot/cold mixing valve.
- **5L tank soap** — 5L-tank sensor liquid soap dispenser for touchless handwashing.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	50 × 40 × 60 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max. 50°C, 7 L/min
NUMBER OF STATIONS	1
LIQUID SOAP DISPENSER	Sensor-controlled, with liquid soap pump and 3 L soap tank
HAND WASHING	Sensor-controlled touchless hand washing
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ 1-station sink
- ✓ Wall-mounted
- ✓ Touchless hand washing and liquid soap (3 L tank)



LVS-S2


03

Touchless Sink — Wall, 2 Station

AISI 304 STAINLESS



Wall-mounted two-station touchless sink; sensor water and 5 L-tank soap dispensers.



HIGHLIGHTS

- **Touchless water** — Runs water when a hand comes within 10 cm; dual water inlet with a hot/cold mixing valve.
- **5L tank soap** — 5L-tank sensor liquid soap dispenser for touchless handwashing.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	120 × 40 × 60 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max. 50°C, 14 L/min
NUMBER OF STATIONS	2
LIQUID SOAP DISPENSER	Sensor-controlled, with liquid soap pump and 3 L soap tank
HAND WASHING	Sensor-controlled touchless hand washing
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ 2-station sink
- ✓ Wall-mounted
- ✓ Touchless hand washing and liquid soap (3 L tank)



LVS-S3


03

Touchless Sink — Wall, 3 Station

AISI 304 STAINLESS



Wall-mounted three-station touchless sink; sensor water and soap for busy entries.



HIGHLIGHTS

- **Touchless water** — Runs water when a hand comes within 10 cm; dual water inlet with a hot/cold mixing valve.
- **5L tank soap** — 5L-tank sensor liquid soap dispenser for touchless handwashing.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.


TECHNICAL DATA

MATERIAL	AISI 304
SIZE (L×W×H)	180 × 40 × 60 cm
POWER SUPPLY	220–240V 50/60Hz
WATER	3 bar, max. 50°C, 21 L/min
NUMBER OF STATIONS	3
LIQUID SOAP DISPENSER	Sensor-controlled, with liquid soap pump and 3 L soap tank
HAND WASHING	Sensor-controlled touchless hand washing
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ 3-station sink
- ✓ Touchless hand washing and liquid soap (3 L tank)
- ✓ Wall-mounted





Hygiene Equipment

Dual-Hand Disinfection Unit	DSS
BGM Set — Hairnet/Overshoe/Mask + Waste	BGM Set
BM Set — Hairnet/Mask + Overshoe	BM Set
BGM Box — Hairnet/Overshoe/Mask	BGM
BM Box — Hairnet/Mask	BM
B Box — Hairnet, Mask, Overshoe etc.	B
Stainless Hygiene Mat	HP

DSS


04

Dual-Hand Disinfection Unit

AISI 304 STAINLESS



A dual-reservoir, dual-sensor hand-disinfection unit; without a turnstile and wall-mounted for hand hygiene before entry.



HIGHLIGHTS

- **Touchless hand disinfection** — Sensor-dosed disinfectant as the hand approaches; dual tanks for uninterrupted use.
- **Standalone unit** — No turnstile; placed before entry or along a line as a single hygiene point.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	54 x 23 x 40 cm
POWER SUPPLY	220-240V 50/60Hz with electrical plug
DESCRIPTION	Sensor-operated dual-hand disinfection unit
COMPARTMENT	Compartment for a 5 L liquid soap canister
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ Dual-sensor with dual hand-disinfection reservoirs
- ✓ Compartment for a 5 L liquid soap canister
- ✓ AISI 304 stainless steel



BGM Set


04

BGM Set — Hairnet/Overshoe/Mask + Waste

AISI 304 STAINLESS



A stainless entry-hygiene station with hairnet, overshoe and mask compartments on top and a waste compartment below.



HIGHLIGHTS

- **Hairnet/overshoe/mask + waste** — A hairnet, overshoe and mask compartment on top; a waste bin below.
- **Entrance hygiene** — Keeps protective equipment and waste tidy and accessible at staff entry.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	50 x 25 x 80 cm
DESCRIPTION	Distribution box
COMPARTMENT	3+1 (top: hairnet/overshoe/mask; bottom: waste compartment)
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ Three-compartment upper section
- ✓ Wide single-compartment lower section
- ✓ AISI 304 stainless steel


BM Set

BM Set — Hairnet/Mask + Overshoe

AISI 304 STAINLESS



A stackable station with a hairnet/mask box on top and an overshoe box below.



HIGHLIGHTS

- **Hairnet/mask + overshoe** — A hairnet/mask box on top and an overshoe box below.
- **Stackable** — Stackable design for tidy use in tight entrance areas.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	40 x 25 x 80 cm
DESCRIPTION	Distribution box
COMPARTMENT	2+1 (top: hairnet/mask; bottom: overshoe)
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ Two-compartment upper section
- ✓ Single-compartment pass-through lower section
- ✓ AISI 304 stainless steel



BGM



04

BGM Box — Hairnet/Overshoe/Mask

AISI 304 STAINLESS



A three-compartment stainless distribution box for hairnets, overshoes and masks.



HIGHLIGHTS

- **3 compartments** — Three separate compartments for hairnets, shoe covers and masks.
- **Entrance hygiene** — Keeps protective equipment tidy and accessible at staff entry.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	50 x 25 x 40 cm
DESCRIPTION	Distribution box
COMPARTMENT	3 (hairnet/overshoe/mask)
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ Three compartments
- ✓ AISI 304 stainless steel



BM

04

BM Box — Hairnet/Mask

AISI 304 STAINLESS



A two-compartment stainless distribution box for hairnets and masks.

HIGHLIGHTS


- **2 compartments** — Two separate compartments for hairnets and masks.
- **Entrance hygiene** — Keeps protective equipment tidy and accessible at staff entry.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	40 x 25 x 40 cm
DESCRIPTION	Distribution box
COMPARTMENT	2 (hairnet/mask)
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ Two compartments
- ✓ AISI 304 stainless steel




B Box — Hairnet, Mask, Overshoe etc.

AISI 304 STAINLESS



A single-compartment stainless box for hairnets, masks, overshoes and similar items; available in three sizes.



HIGHLIGHTS

- **Multi-purpose** — Flexible use as a shoe-cover, hairnet or waste box.
- **Three sizes** — B3, B2 and B1 sizes to suit different entrance needs.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	50/40/20 x 25 x 40 cm
DESCRIPTION	Distribution box
COMPARTMENT	1 (hairnet, overshoe, mask or glove)
MOUNTING	Wall-mounted

SCOPE OF DELIVERY

- ✓ One compartment (B1:20cm, B2:40cm, B3:50cm)
- ✓ AISI 304 stainless steel




HP

04

Stainless Hygiene Mat

AISI 304 STAINLESS



A stainless framed unit with a disinfectant reservoir and mat for sole disinfection.

HIGHLIGHTS


- **Disinfectant tank** — Disinfectant tank and pad structure for sole disinfection.
- **Four sizes** — From HP6045 to HP15080 to fit different entrance widths.
- **AISI 304 body** — Fully stainless steel; washable, corrosion- and chemical-resistant.

TECHNICAL DATA

MATERIAL	AISI 304
DIMENSIONS	60x45cm / 80x50cm / 90x60cm / 120x70cm
DESCRIPTION	Hygiene mat
COMPARTMENT	With disinfectant reservoir and mat
MOUNTING	Floor-mounted

SCOPE OF DELIVERY

- ✓ With disinfectant reservoir and mat
- ✓ AISI 304 stainless steel





Umran Makine Sanayi ve Ticaret Ltd. Şti.

CONTACT

Sanayi Mh. Sanayi Cd. Kurtköy Sanayi Sitesi No: 44B/20

34906 Pendik / İstanbul

+90 532 334 46 18

umranmakine@gmail.com

www.umranmakine.com

For a configuration tailored to your facility — **quotation & configuration**